

# Schema Mode Therapy for Complex Posttraumatic Stress Disorder

**By Jeff Dwarshuis LMSW ACSW**

## **What Is Schema Therapy?**

Schema Therapy is a branch of Cognitive Therapy that was developed by Jeffrey Young PhD and includes several different psychotherapeutic interventions including Behavioral, Gestalt, Psychoanalytic and Relational Therapies. Schema Therapy argues that if individuals are abused or neglected as children, they may develop "maladaptive schemas". This is particularly true with individuals who have a history of repeated abuse or repeated traumatic incidences causing Complex Posttraumatic Stress Disorder. Maladaptive schemas (known as schemas) can be defined as self-defeating emotional and cognitive patterns that begin in early childhood and continue throughout life. The goal of Schema Therapy is to eliminate the schema(s) by recognizing and challenging it and replacing it with more effective behaviors. One of the ways to accomplish this goal is through schema mode work.

## **Schema Modes**

Schema modes can be defined as moment to moment emotional states and their related behaviors that all individuals use to manage life events. Often a life event will trigger a schema and then the person will switch their behavior and thought process to a maladaptive mode. Schema modes can be adaptive or maladaptive and the goal of Schema Mode Therapy is to recognize maladaptive modes and replace them with adaptive modes.

Modes are measured by both their level of rigidity and intensity. For people who are responding to life events in a healthy way, their responses tend to be flexible and not ridged. The flexibility between changing modes during a healthy reaction is spontaneous and the individual can switch from one mode to the next as well as easily recall their thoughts, feelings and actions when shifting from one mode to the next.

Also, an adaptive reaction to a life event consists of a reasonable level of intensity. While some events in life are extreme and have major emotional reactions, others are not extreme. The quality of healthy mode reactivity is rational and parallels the intensity of the event.

Unhealthy behavior is more ridged in quality. For example, one might quickly switch from a healthy adult mode to a more childlike mode and the intensity of the child mode will take over the person. Thus, the person appears to lose control over their

behavior as well as the stability of identity. These sudden mode switches impact the sense of cognitive, emotive and behavioral maintenance and the overwhelm of the mode causes difficulty recalling healthy mode experiences. This is shown in its most extreme forms in states of dissociation which schema therapists would describe as a process of extreme mode switching and reactivity.

Also, an unhealthy reaction to a negative life event consists of an unreasonable level of reactivity to that event. Thus, if a person switches to an unhealthy mode they might appear to overreact to situations that are minor, or they might appear to have extraordinarily little or no reaction to life events that are overwhelming or critical.

### **Schema Mode Categories and the Nine Schema Modes**

Schema Therapy defines nine schema modes as the basis for mode behavior. In a sense, all these modes are universal. In other words, all people tend to embrace each mode. Again, the concerns have to do with the person's level of rigidity and/or intensity when in the mode. The nine schema modes fall into three categories. Below is a description of each category followed by a detailed description of each mode within that category. A description of the healthy adult mode is included.

**Child Modes** – Child modes are characterized by childlike feelings, thoughts and behaviors. The impact of a child mode can be mild yet in extreme forms the person might give the mode an identity. This, according to Schema Therapy, is the foundation for the switching and extreme reactivity found in Dissociative Identity Disorder.

1. **The Vulnerable Child Mode** – The individual in a vulnerable child mode will experience dysphoric, anxious and sad feelings when triggered by a life event or memory. Other emotions might include loneliness, isolation, overwhelm, self-questioning, neediness, helplessness, hopeless, abandonment, fragility, weakness and oppression. The behavior of the vulnerable child depends on which dysfunctional coping mode they use to manage their reactions.

2. **The Angry Child Mode** – The individual in an angry child mode is fueled by feelings of victimization and bitterness which then leads to pessimism, jealousy and rage. The individual often feels unsupported and may have urges to yell, scream, throw or break things or injure themselves or others. Often a trigger for the switch to an angry child mode is the sense that one's needs are not being met.

3. **The Impulsive or Undisciplined Child Mode** - The individual in an impulsive or undisciplined mode acts on their desires of "at the moment" needs. The individual generally acts impulsively and in a selfish and/or uncontrolled manner. The person has a desire to get his or her own way and has difficulty delaying short-term

gratification. Emotionally the person feels anger, rage, frustration and impatience when these desires or impulses are not met. The person generally appears to be "spoiled".

**4. The Happy Child Mode** – The individual in the happy child mode feels at peace because their core emotional needs are being met. Generally, the person experiences love, validation, safety and connection. The person thinks they are special, lovable, important and strong.

**Dysfunctional Coping Modes** – Dysfunctional coping modes are used to prevent emotional distress but end up reinforcing or perpetuating the schema. These coping modes parallel the core emotional, cognitive and physical reactivity seen in fight, flight or freeze behaviors referred to in schema language as overcompensation, avoidance and surrender, respectively.

**1. The Overcompensator Mode** – The individual in the overcompensator mode will adopt a coping style to counteract feelings of defectiveness or feelings related to not getting their emotional needs met. The individual appears inordinately grandiose, aggressive, dominant, competitive, arrogant, haughty, condescending, devaluing, controlling, rebellious, manipulative, exploitative, attention-seeking and status-seeking. The individual in this mode perpetuates their schema patterns since they actively deny the schema's existence.

**2. The Detached Protector Mode** - The individual in the detached projector mode cuts themselves off from their own needs and feelings and presents with an overall appearance of avoidance. The person will detach emotionally from others and reject outside assistance. The person appears to be withdrawn, distracted, disconnected, depersonalized, empty, bored or aloof. The individual may compulsively and excessively pursue distracting, self-soothing, or self-stimulating activities. The individual in this mode perpetuates their schema patterns since they cut themselves off from problem recognition.

**3. The Compliant Surrenderer Mode** – The individual in the compliant surrenderer mode typically acts in a passive, submissive, approval-seeking or self-deprecating way to avoid conflict or rejection. Individuals in this mode will tolerate abuse and mistreatment and will not express their own needs. The individual in this mode perpetuates their schema patterns since they are avoiding effective problem-solving.

**Dysfunctional Parent Modes** – Dysfunctional parent modes are internalizations of critical, demanding, or harsh parental voices. When someone is in this set of modes they will take on and own the messages taught to them through abusive behavior and will act as if the message is real and appropriate. Although this is

described as a “parent” mode, the negative abuse messages can come from anybody including teachers, religious leaders, siblings, relatives or peers.

**1.The Punitive Parent Mode** – The individual in the punitive parent mode generally believes that they deserve punishment and blame. Often the person will be self-abusive shown by self-mutilation, anorexic behavior, bulimic behavior, self-sabotage, self-loathing, self-blame, self-criticism and suicidal thoughts and behaviors. The individual will present with a tone that is harsh, unforgiving and critical. Relative to norms and rules there is a preoccupation with the style of rule enforcement rather than rule appropriateness.

**2.The Demanding Mode** – The individual in the demanding parent mode is preoccupied with perfectionism, achievement, order, status and efficiency. The individual will appear irritated, anxious, demanding and/or emotionless. There is a tendency for the person to devalue both spontaneity and emotional expression. Relative to norms and rules there is an emphasis on the act of meeting high standards rather than on the style of implementation or the general effectiveness of meeting a particular purpose.

### **Healthy Adult**

The Healthy Adult Mode – The individual in the healthy adult mode presents as being comfortable in their decisions, problem-solving, impulses, ambitions, limitations and relationships. The individual acts in a way that is responsible, thoughtful, participatory and self-nurturing. Relationally the person can maintain presence without a preoccupation for the past or future. Schema Therapy concentrates on the role of the adult mode to use its resources as a method of self-parenting when other modes have taken control.

### **Schema Mode Treatment**

Schema Therapy emphasizes the role of five primary steps for useful mode work. Generally, these steps are taken within the context of treatment, but benefits can also come by doing the exercises alone. The end goal of these initial five exercises is to be able to do schema problem solving as defined in the next section. List your answers.

**1.Schema Mode Identification** – The first step is schema mode identification. This involves learning about the different schema modes and identifying the most common modes used including both negative and positive modes. Read the schema mode descriptions and with an understanding of their characteristics begin to list the modes that are most often used.

**2.Origin and Adaptive Use** – The second step is recognizing the schema mode's origin and adaptive use. The origin of the schema mode typically comes from the family of origin, usually a parent. However, it could also include other significant figures from youth. Following this, begin to think about how it was helpful or adaptive for use as a child to survive but as an adult, is ineffective.

**3.Triggers Identification** – The third step is trigger identification and involves the recognition of the most common life events that initiates mode switches. It can be helpful to think about sudden shifts in mood or an awareness of others' change in reaction to behavior.

**4.Mode Advantages and Disadvantages** – The fourth step is recognizing the advantages and disadvantages of the mode. This can be done by putting oneself at a distance from the behaviors and evaluating its negative and positive impacts on social, emotional and physical being as well as its general impacts on life. The recognition of mode advantages and disadvantages is an important part of the process of self-parenting.

**5.Self-Parenting** – The fifth step is self-parenting. Generally, this involves the processes of seeing and adapting the use of both the Happy Child Mode and the Healthy Adult Mode. Change occurs as one uses these healthy modes to nurture or redirect unhealthy modes. This can be done by the imagery of changed behavior or the imagery of seeing oneself in a healthy mode providing safety or direction to an unhealthy mode.

### **Schema Mode Problem Solving**

With the initial exercises completed one is a better position to coordinate and use the learning on a day to day basis. The goal is to use the understandings and growing awareness from the previous exercises and apply them to daily relational and emotional challenges perpetuated by the modes(s).

Completing the framework sentence below will allow for spontaneous change and the elimination of unhealthy schema modes. The goal is to get to the point of being able to do the exercise automatically in real life settings.

Use the framework sentence below to talk, write or think through a challenging life situation.

I feel **(emotion)** in **(this part of my body)** and the emotion was caused by **(causal event)**. This event has triggered my **(mode)** which was taught to me by **(family of origin influence)**. This mode reaction has caused me to exaggerate or overreact by **(behavior)**. The mode may have been helpful when I was **(age or situation)** but today it is ineffective because of **(disadvantages)**. Although my schema causes me to believe that I am **(negative self-belief)** I am **(rational positive self-belief)** as evidenced by **(supporting evidence)**. Although I would like to do **(negative behavior)** instead I will do **(positive behavior)**.

### **Resources**

Schema Therapy – A Practitioner's Guide by Jeffrey Young PhD, Janet Klosko PhD and Marjorie Weishaar PhD (2003)

Reinventing Your Life by Jeffrey Young PhD and Janet Klosko PhD (1993)

Schema Therapy by Eshkol Rafaeli, David Bernstein and Jeffrey Young (2011)

Negative Thinking Patterns: A Schema Therapy Self – Help and Support Book by Gitta Jacob, Hannie Van Genderen and Laura Seebauer

Cognitive Therapy – Basic and Beyond by Judith Beck (1995)

Cognitive Therapy for Challenging Problems by Judith Beck (2005)

Cognitive Therapy for Personality Disorders – A Schema Focused Approach by Jeffrey Young (1999)

Cognitive Therapy of Personality Disorders by Aaron Beck, Arthur Freeman and Denise Davis (2004)

**Jeff Dwarshuis LMSW, ACSW is a licensed psychotherapist in private practice specializing in EMDR therapy and the treatment of Complex Posttraumatic Stress Disorder. For contact call (616) 443-1425 or send an email to [jeffsemdr@gmail.com](mailto:jeffsemdr@gmail.com).**

**Also see Dwarshuis' webpage at <http://www.jeffdwarshuis.com/> for related clinical information.**